•	9	
		Express Mail Label No.EI183554833US
		Date of Deposit: January 7, 1998

PTO/SB/17 (12-97)
Approved for use through 9/30/00. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Complete if Known **Application Number FEE TRANSMITTAL** Filing Date Concurrently Herwith **First Named Inventor** David S. Note: Effective October 1, 1997. Group Art Unit Patent fees are subject to annual revision. Examiner Name 47/0050 TOTAL AMOUNT OF PAYMENT (\$) 435,00 Attorney Docket Number

METHOD OF DAMACHIT (-11)	FFF OALOUI ATION (continued)	
METHOD OF PAYMENT (check one)	FEE CALCULATION (continued)	
1. The Commissioner is hereby authorized to charge	3. ADDITIONAL FEES	
indicated fees and credit any over payments to: Deposit	Large Entity Small Entity Fee Fee Fee Code (\$) Code (\$) Fee Description	Fee Paid
Account Number	105 130 205 65 Surcharge - late filing fee or oath	
Deposit Account Name	127 50 227 25 Surcharge - late provisional filing fee or cover sheet.	
Charge Any Additional Charge the Issue Fee Set in	139 130 139 130 Non-English specification	
Fee Required Under 37 CFR 1.18 at the Mailing of the Notice of Allowance	147 2,520 147 2,520 For filing a request for reexamination	
	112 920* 112 920* Requesting publication of SIR prior to Examiner action	
2. X Payment Enclosed: X Check Order Other	113 1,840* 113 1,840* Requesting publication of SIR after Examiner action	
	115 110 215 55 Extension for reply within first month	
FEE CALCULATION	116 400 216 200 Extension for reply within second month	
1. FILING FEE	117 950 217 475 Extension for reply within third month	
Large Entity Small Entity	118 1,510 218 755 Extension for reply within fourth month	
Fee Fee Fee Fee Description Fee Paid	128 2,060 228 1,030 Extension for reply within fifth month	
Code (\$) Code (\$) 101 790 201 395 Utility filing fee 395	119 310 219 155 Notice of Appeal	
106 330 206 165 Design filing fee	120 310 220 155 Filing a brief in support of an appeal	
107 540 207 270 Plant filing fee	121 270 221 135 Request for oral hearing	
108 790 208 395 Reissue filing fee	138 1,510 138 1,510 Petition to institute a public use proceeding	
114 150 214 75 Provisional filing fee	140 110 240 55 Petition to revive - unavoidable	
SUBTOTAL (1) (\$) 395.00	141 1,320 241 660 Petition to revive - unintentional	
300101AL(1) ((\$) 333.00	142 1,320 242 660 Utility issue fee (or reissue)	
2. CLAIMS Extra below Fee Paid	143 450 243 225 Design issue fee	
Total Claims 1 -20 = X =	144 670 244 335 Plant issue fee	
Independent 1 - 3 = X =	122 130 122 130 Petitions to the Commissioner	
Multiple Dependent Claims X =	123 50 123 50 Petitions related to provisional applications	
	126 240 126 240 Submission of Information Disclosure Stmt	
Large Entity Small Entity Fee Fee Fee Fee Fee Description Code (\$) Code (\$)	581 40 581 40 Recording each patent assignment per property (times number of properties)	
103 22 203 11 Claims in excess of 20	146 790 246 395 Filing a submission after final rejection	
102 82 202 41 Independent claims in excess of 3	(37 ČFR 1.129(a))	
104 270 204 135 Multiple dependent claim	149 790 249 395 For each additional invention to be examined (37 CFR 1.129(b))	
109 82 209 41 Reissue independent claims		
over original patent	Other fee (specify) Assignment Fee	40.00
110 22 210 11 Reissue claims in excess of 20 and over original patent	Other fee (specify)	
SUBTOTAL (2) (\$)	Reduced by Basic Filing Fee Paid SUBTOTAL (3) (\$)	
SUBMITTED BY	Complete (if applica	ble)
Typed or	Reg Number	1
Printed Name George A. McGuire	neg. Number 136.	603

Deposit Account Date Signature

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Application of:

David S. Allen, Richard Joswick, Paul Clifford, Roy A. Gonzalez and Paul

J. Rusyniak

For:

Multiple Purpose Pocket Tool

Background of the Invention

The present invention generally relates to multi-purpose pocket tools, and more particularly, to such tools wherein a plurality of tools and blades are mounted for pivotal movement into and out of a housing.

Traditionally, tools such as knives, screwdrivers, files and the like were independently carried in a tool box, thereby making it inconvenient for an individual to carry the tools at all times. In order to provide individuals with a plurality of functional tools that were easily transported, pocket size tools having a variety of elongated tools attached to a single housing in which they may be stored when not in use were developed. Examples of such types of multipurpose pocket tools can be readily seen in U.S. Patent Nos. 3,875,600 to Reveaux; 758,928 to McGrath; 5,450,774 to Chang; 5,553,340 to Brown, Jr.; 149,806 to Swan; 1,187,842 to Kaas; 2,327,090 to Berg; 97,154 to Barnard et al.; and 5,617,597 to Reitz. Additional multi-purpose tools which collapse down to an easily transportable size have been developed by the Leatherman Tool Group of Portland, Oregon and are exemplified in U.S. Patent Nos. 4,238,862; 4,744,272; and 4,888,869.

While each of the above listed patents discloses a functional, multi-purpose tool that may be carried by an individual at all times, not all of the referenced apparatus can be safely used.

Each of the prior art apparatus include tools that are not securely locked in both their operable and inoperable positions. Therefore, it is possible that an individual using a particular tool on a

15

5

prior art device will be injured due to the unexpected opening and/or closing of any of the tools comprising the device.

It is therefore a principal object and advantage of the present invention to provide a multipurpose, pocket tool that includes improved mechanisms for securely locking the ancillary tools pivotally attached to a housing in both their operable (terminal open) and inoperable (terminal closed) positions.

It is an additional object and advantage of the present invention to provide a cover plate pivotally attached to a housing which separates those ancillary tools in their inoperable position from an ancillary tool in its operable position.

Other objects and advantages of the present invention will in part be obvious and in part appear hereinafter.

Summary of the Invention

In accordance with the foregoing objects and advantages, the present invention provides a multi-purpose pocket tool. The tool generally includes an elongated housing having a plurality of tools pivotally attached to one end thereof, and a cover plate pivotally attached to its opposite end. Each of the tools performs a different function, thereby giving the tool its versatility.

Each of the tools is independently, pivotally movable into and out of the housing with the cover plate being selectively pivotal between terminal open and closed positions, whereby access to the tools positioned within the housing is either permitted or denied, respectively. The cover plate includes a flange extending downwardly from its distal end which, when in its terminally closed position, engages cooperatively positioned notches formed transversely across both the bottom and top edges of each of the ancillary tools, adjacent their proximal ends. Accordingly,

5

the flange will engage one of the two notches formed in each of the tools regardless of whether the tools are in a terminally open or terminally closed position. When using one of the ancillary tools, the secure closure of the cover plate prohibits other tools from accidentally moving out of the housing, and also prevents dust or other debris, produced as a result of a tool's operation, from entering the housing.

An additional safety feature of the present invention is the locking of the cover plate in either its terminally open or closed position. A protrusion is formed on the inwardly facing surface of one of the cover plate's sidewalls, adjacent the proximal end thereof, and a pair of holes having diameters slightly larger than the protrusion are formed through the corresponding sidewall of the housing. The holes are positioned such that one or the other will be engaged by the protrusion when the cover plate is positioned in either of its terminally open or closed positions. In order to reduce the erosion of the protrusion as the cover plate is continually moved between its terminal positions, the positioning of the protrusion is such that it becomes entirely disassociated from the housing when not engaged with one of the holes. Consequently, the only friction realized by the protrusion occurs at the moment when it engages or disengages one of the holes.

In addition to the plurality of different functioning tools and the safety features associated with their operation, the cover plate includes tools incorporated directly into the structure thereof. The planar top surface of the cover plate includes a plurality of different sized hexagonal openings formed therethrough, each one of which may operably engage a correspondingly sized hex-head nut. In addition, the opposing sidewalls of the cover plate include corresponding portions cut away therefrom to form a bottle cap opener. Accordingly, by placing the cover plate

in its terminally open position it becomes locked via the protrusion engaging the corresponding hole formed through the housing, and it may be effectively and safely used to loosen or tighten hex-head nuts, or to remove a bottle cap.

Brief Description of the Drawings

The foregoing and other features of the present invention will be more readily understood and fully appreciated from the following Detailed Description, taken in conjunction with the accompanying drawings, wherein:

Figure 1 is a side elevational view of the present invention showing the device with the tools in their terminally closed positions;

Figure 2 is a side elevational view of the present invention showing the device with each of the tools in various positions all of which are between their terminally open and closed positions;

Figure 3 is an exploded perspective of the present invention;

Figure 4 is a top plan view of the present invention with both the cover plate and tools in their terminally closed positions;

Figure 5 is a side elevational view of the present invention as it appears in Figure 4;

Figure 6 is a bottom plan view of the present invention as it appears in Figure 4; and

Figure 7 is a cross-sectional view taken along lines 7-7 of Figure 4.

5

DETAILED DESCRIPTION

Referring now to the drawings, wherein like reference numerals refer to like parts throughout, there is seen in Fig.'s 1-7 a multi-purpose device, designated generally by reference numeral 10. Device 10 includes a longitudinal axis X-X and is broadly comprised of an elongated housing 12, a plurality of ancillary tools, collectively and generally designated by reference numeral 14, pivotally attached to the front end of housing 12 for movement between terminal open and closed positions, and an elongated cover plate 16 pivotally attached to the opposite end (the rear-end) of housing 12 for movement between terminal open and closed positions. Each of tools 14 may be independently and selectively moved between its terminal open and closed positions, thereby permitting a user of device 10 to effectively and operably utilize device 10.

Housing 12 includes a planar bottom wall 18, a pair of sidewalls 20 and 22 extending integrally and perpendicularly upwardly from the side edges of bottom plate 18, and a rear wall 24 which extends integrally and perpendicularly upwardly from the rear edge of bottom wall 18. Rear wall 24 includes a hood 26 which extends perpendicularly outwardly therefrom and which lies in a plane that is co-planar to the top edges of sidewalls 20 and 22, and is in spaced, parallel relation to bottom wall 18.

Sidewalls 20 and 22 include holes 28 and 30, respectively, formed therethrough, adjacent the rear end thereof, and holes 32 and 34, respectively, formed therethrough, adjacent the front end thereof. Holes 28 and 30 receive a pivot pin 36 therethrough which serves as the attachment between cover plate 16 and housing 12; and holes 32 and 34 receive a pivot pin 38 therethrough which serves as the attachment between tools 14 and housing 12.

5

Tools 14 include, in successive order, a knife blade 40, a file 42, a pair of scissors 44, a Phillips head screwdriver 46, a flat-head screwdriver 48, a pick 50, and tweezers 52. Each of tools 14 includes a hole, all of which will be commonly designated by reference numeral 54, formed therethrough, adjacent their proximal ends. Tools 14 are positioned within housing 12 such that pivot pin 38 extends through sidewall holes 32 and 34, as well as each of holes 54. A rivet 56, or other suitable fastener is fixedly secured to the blunt end of pin 38 to ensure that it does not slide out from any of holes 32, 34 or 54.

To ensure that tools 14 positioned adjacent sidewalls 20 and 22, namely, tweezers 52 and knife blade 40, respectively, do not rub against sidewalls 20 and 22 when being moved relative to one another, a pair of spacer members 58 and 60, respectively, are positioned therebetween.

Spacer 58 includes an identical spacer 58' fixedly attached thereto in order to double the effective thickness of the space created between sidewall 20 and tweezers 52. This extra space is necessary, in part, to compensate for tweezers 52, which have an effective width greater than the width of spacer 58, and, in part, to provide a secure anchor for a key ring 62 which passes through corresponding holes 64, 64' formed through a portion of spacers 58, 58', respectively, which extend outside the confines of housing 12. Spacers 58, 58' and 60 also each include holes 66, 66' and 68, respectively, formed through portions thereof which are positioned within housing 12, and through which pivot pin 38 extends, thereby securely retaining spacers 58, 58' and 60 to housing 12.

Each of tools 14 and spacers 58, 58' and 60 include a pair of slots 70 and 72 formed entirely across the top and bottom edges, respectively, thereof, adjacent their proximal ends. When tools 14 are in their terminal open or closed positions, slots 70 and 72 extend along a

5

common axis Y-Y (see Fig. 4) which extends transverse to axis X-X. Slots 70 and 72 provide, in part, a means for locking tools 14 in either their terminal open or closed positions, as will be further explained hereinafter.

Cover plate 16 includes a planer, top wall 74 having a plurality of differently sized hexagonal openings, commonly designated by reference numeral 76, formed therethrough, a flange 78 extending perpendicularly downwardly from its leading edge, and a pair of sidewalls 80 and 82 extending integrally and perpendicularly downwardly from its side edges. Sidewalls 80 and 82 are separated by a distance slightly greater than the distance separating sidewalls 20 and 22, thereby permitting sidewalls 80 and 82 to be positioned outside of housing 12 when cover plate 16 is in the terminally closed position. Sidewalls 80 and 82 further include ears 84 and 86, respectively, formed adjacent its proximal end. Ears 84 and 86 include holes 88 and 90, respectively, formed therethrough. Cover plate 16 is attached to housing 12 by pivot pin 36 extending through concentrically aligned holes 28, 30 (through sidewalls 20 and 22) and 88, 90 (through sidewalls 80 and 82), and having a rivet 92, or other suitable fastener, fixedly secured to the blunt end of pivot pin 36.

Sidewalls 80 and 82 further include corresponding extension 94 and 96, respectively, which define U-shaped recesses 98 and 100, respectively. Extensions 94 and 96, together with recesses 98 and 100 form a bottle cap opener which may be effectively used to remove a metal cap from a conventional "soda" bottle.

An additional element present on cover plate 16 is the presence of a single protrusion 102 formed on the inwardly facing surface of ear 84, adjacent hole 88. When cover plate 16 is positioned in either its terminal open or closed positions, protrusion 102 will securely engage an

5

aperture 104 or 106, respectively, formed through sidewall 20 of housing 12. By protrusion 102 engaging either aperture 104 or 106, cover plate 16 will be securely locked in either its terminal open or closed position, respectively, thereby diminishing the possibility of cover plate 16 accidentally opening or closing. As cover plate 16 is moved between its terminally open and closed positions, protrusion 102 will become disengaged from aperture 102 and travel in a path disassociated from sidewall 20 before engaging aperture 104 and locking cover plate 16 in its terminally closed position.

In order to ensure that tools 14 do not accidentally move between their terminal open (operable) and terminal closed (inoperable) positions, cover plate 16 should be positioned in its terminal closed position. When in this position, flange 78 will operably engage slot 70 of the terminally open tool 14 and slots 72 of the terminally closed tools 14. In use, therefore, typically only one of tools 14 will be in its terminally open position, while the remainder of tools 14 are in their terminally closed positions, and cover plate 14 will be terminally closed with flange 78 engaging slot 70 and slots 72, thereby locking the tools in their set positions. In order to close the opened tool 14, cover plate 16 can be moved to its terminal open position (with protrusion 102 engaging aperture 104 to lock it in place) and tool 14 may be pivoted to its terminally closed position. Cover plate 16 may then be closed with flange 78 engaging slots 72 and protrusion 102 engaging aperture 106.

Although the invention has been described in connection with the preferred embodiment, those skilled in the act may make changes to certain fixtures without departing from the spirit and scope of the invention as defined in the appended claims.

What is claimed is:

1.	A multiple	purpose 1	pocket	tool,	comprising
1.	Ammupio	Parbose	POOLEGE	,	

- a) an elongated housing having a longitudinal axis, first and second opposite ends, first and second sidewalls positioned in spaced, parallel relation to one another and bridged by a planar wall extending perpendicularly thereacross, and an end wall extending across said first end, said first and second sidewalls, planar wall and end wall together defining an internal cavity, said first sidewall including first and second apertures formed therethrough adjacent to said first end;
- b) a plurality of elongated tools each having first proximal and distal ends, top and bottom edges, and first and second slots formed transversely across each of said top and bottom edges, respectively, adjacent said first proximal ends, said ancillary tools being pivotally attached to said second end of said housing at said first proximal ends for selective, independent movement between terminal open and closed positions;
- c) an elongated cover plate having second proximal and distal ends, third and fourth sidewalls positioned in spaced, parallel reaction to one another and bridged by a second planar wall, said second planar wall including a flange extending downwardly from said second distal end thereof, said third sidewall including an inwardly facing protrusion formed thereon, adjacent said second proximal end, said cover plate being pivotally attached to said first end of said housing for selective movement between terminal open and closed positions;
 - d) means for locking said cover plate in its said terminal open position; and
 - e) means for locking said cover plate in its said terminal closed position.

<u>Abstract</u>

A multiple purpose pocket tool having an elongated housing defining an open cavity, a plurality of elongated ancillary tools pivotally attached to one end of the housing at their proximal ends, and an elongated cover plate pivotally attached to the opposite end of the housing. Each of the ancillary tools includes a slot formed transversely across the top and bottom edges thereof, adjacent their proximal ends. The cover plate includes a downwardly extending flange which engages one of the slots formed in each of the tools when positioned in its terminal closed position, thereby locking the tools in place. The cover plate further includes a protrusion formed on the inwardly facing surface of one of its sidewalls which engages an aperture formed through the corresponding sidewall of the housing when in either its terminal open or closed position, thereby locking the cover plate in such position.

J:\NIGHT\GRM\ALLEN.APP




FIG. 1








FIG.2














Please type a plus sign (+) inside this box 🛸 🗐	PTO/SB/01 (12-97) Approved for use through 9/30/00. OMB 0651-0032
Under the Paperwork Reduction Act of 1995, no persons a valid OMB control number.	Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE are required to respond to a collection of information unless it contains

DECLARATION — Utility or Design Patent Application

	25	INATIO	14 =	- Ouiii	Ly OI	Desi	g	Pale	<u> </u>	API	oncau	on
United States information wh	or PCT la	efit under 35 U.S. ica, listed below nternational appli aterial to patenta T international fili	ication in ability as	the manner p defined in 37	rovided by t CFR 1.56 v	er or each the first car	or ine	claums of the	nis appl	cation is	s not disclose	d in the prior
U.	.S. Par	ent Applicat Numi		PCT Paren	it	•		ing Date	T	Pare	ent Patent	
		PCT international										
As a named inv	ventor, I i	hereby appoint th onnected therewi	e followi		oractitioner(in the Paten
			X	Registered pra		name/regi	istratio	n number li	sted bek	ow L	Label he	- 1
	Nam	10			stration mber			Nan	10			stration umber
George	R. M	lcGuire		36,60		- -	Jame	es R. M	fuldo	on	38,24	19
Charle	sS.	McGuire		20,38	5							
Additional r	registere	d practitioner(s) r	named o	n supplementa	l Registere	d Practition	ner Info	ormation sh	eet PTO	/SB/020	attached her	eto.
Direct all corre		ence to: 🔲 (Custom	er Number Code Label				7			ondence add	
Name	Geo	orae R. Ma	Guir	е								
Address		cock & Es			P							
Address	150	0 Mony To	wer	I-PO Box	x 4976							
City	Syr	acuse,				State	,]	NY	ZIP	132	21 -4 976	
Country	USA			Telepho	ne 315	5-471-3151 x392 Fax 315-471-316				4 <u>71-316</u>	7	
punishable by 1	fine or in	Il statements mad d further that the inprisonment, or t issued thereon.	ese state both, un	ements were n	nade with ti	he knowle	idde th:	et willful fe	ica ctate	monte	and the like c	o mada ara
Name of So	ole or F	First Inventor	r:]			☐ A pe	etition	has been	filed fo	r this u	nsigned inve	entor
Giv	ven Nar	ne (first and mi	iddle [if	anyi)		Family Name or Surname						
David	đs.	· · · · · · · · · · · · · · · · · · ·			···	Al	len	·				
Inventor's Signature		Dae	ũď	1 SU	lle_						Date	1/1/98
Residence: C	ilty	New Hart	ford	State	NY	Coun	itry	USA			Citizenship	USA
Post Office Ad	idress	27 Hoffm	ian Ro	oad				V				
Post Office Ad	ddress		·									
City			State	_	ZIP				Cou	ntrv		
Additional	invento	rs are heing na		the ev	nnlemente	al Addition			<u> </u>		SB/00A attac	مغمسم ما أم ما

######################################
2
<u> </u>
M
Ţ,
M

	PTO/SB/02A (3-97)
Please type a plus sign (+) inside this box → +	Approved for use through 9/30/98. OMB 0651-0032 _
	Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons a	re required to respond to a collection of information unless it contains a
valid OMB control number.	

DECLARATION

ADDITIONAL INVENTOR(S)
Supplemental Sheet
Page 3 of 4

Name of Additional Joint Inventor, if any: A petition has been filed for this unsigned inventor									ventor		
Given Na		Family Name or Sumame									
Richa	rd	1			Josw	rick					
inventor's Signature	Richard &	loours	Sp	, L				Date		1/7/98	
Residence: City	New Hartford	State	NY	c	Country USA				hip	USA	
Post Office Address	301 Washington Drive										
Post Office Address											
City		State			ZIP		Count	y			
Name of Addition	nal Joint Inventor, if ar	ıy:			A petition	has been filed	d for th	nis unsign	ed inv	rentor	
Given Na	me (first and middle [if any])			Family Name or Surname						
Paul					Clifford						
Inventor's Signature	Paul Cliff	los	2		Date 1/7/98						
Residence: City	Cold Brook	State	NY	c	ountry	USA		Citizer	nship	USA	
Post Office Address	PO Box 162, Ro	oute 8									
Post Office Address											
City		State			ZIP		Cou	ntry			
Name of Addition	nal Joint Inventor, if ar	ıy:			A petition	n has been filed	d for th	nis unsigr	ed inv	ventor	
Given Na	ne (first and middle [if any])			Family Name or Surname						
Roy	Α.	7			Gonz	alez					
inventor's Signature	My C.S.	STY	els	2/		•		/ _{Da}	te	1/1/18	
Residence: City	Westmoreland	State	NY	<u>J</u>	ountry	USA		Citize	nship	USA	
Post Office Address	6256 Cooper St	reet									
Post Office Address		·						·	,		
City			ZIP			Country					

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

Ę.
đ
7
3
ũ
41
Ö

Please typ	e a i	olus	sian	(+)	inside	this	box	→		
Liogoo ili	<i>7</i> 0 a	Pius	aigii	(.,				•	+	i

PTO/SB/02A (3-97)

Approved for use through 9/30/98. OMB 0651-0032

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

DECLARATION

ADDITIONAL INVENTOR(S) Supplemental Sheet Page 4 of 4

Name of Additional Joint Inventor, if any:								entor			
Given Nar	ne (first and middle [if any]))		Family Name or Sumame							
Paul J.		1_			Rusy	niak					
Inventor's Signature	/ mu f	use	jue	al	£			Date	1	19/90	
Residence: City	Rome /	State	NY		ountry	USA		Citizensh	ip [JSA	
Post Office Address	6598 Seville Dr	ive						-			
Post Office Address										·	
City		State		<u> </u> :	ZIP		Countr	у			
Name of Addition	nal Joint Inventor, if an	y:	[□ A	petition	has been file	d for th	nis unsign	ed inv	entor	
Given Na	me (first and middle [if any])				Family Nar	ne or	Sumame			
							<u> </u>		-		
Inventor's Signature								Dat	е		
Residence: City		State		C	ountry			Citizen	ship		
Post Office Address			······································								
Post Office Address		, ,,,,,									
City		State			ZIP		Cou	ntry			
Name of Addition	nal Joint Inventor, if an	ıy:		☐ <i>P</i>	petition	n has been file	d for ti	his unsign	ed inv	entor	
Given Na	me (first and middle [if any]	1)				Family Na	me or	Surname			
Inventor's Signature								Da	te		
Residence: City	State Country Citizenship										
Post Office Address											
Post Office Address			1			1	1				
City		State			ZIP			Country			

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

VERIFIED STATEMENT CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(f) & 1.27(c))--SMALL BUSINESS CONCERN

Docket Number (Optional)

(57 CFR 1.5(1) & 1.27(C)) SWEEDE BOOK LESS CONCERN	091775-7
Applicant or Patentee: <u>David S. Allen</u> , et al. Serial or Patent No.:	· · · · · · · · · · · · · · · · · · ·
Filed or Issued:	
Title:Murcipie Farpose Focket 1001	
I hereby declare that I am	
the owner of the small business concern identified below: an official of the small business concern empowered to act on behalf of the concern iden	tified below:
NAME OF SMALL BUSINESS CONCERNUtica Cutlery Company	
ADDRESS OF SMALL BUSINESS CONCERN 820 Noves Street, P.O. B Utica, New York 13503-15	ox 10527 27
I hereby declare that the above identified small business concern qualifies as a small busine and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees to the United States Patent a of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of the business concern is the average over the previous fiscal year of the concern part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns directly or indirectly, one concern controls or has the power to control the other, or a third party or proof both.	nd Trademark Office, in that the number imposes of this statement; (1) the number of the persons employed on a full-time, are affiliates of each other when either,
I hereby declare that rights under contract or law have been conveyed to and remain with the with regard to the invention described in:	small business concern identified above
the specification filed herewith with title as listed above.	
the application identified above.	
the patent identified above.	
If the rights held by the above identified small business concern are not exclusive, each incrights in the invention must file separate verified statements averring to their status as small entition by any person, other than the inventor, who would not qualify as an independent inventor under invention, or by any concern which would not qualify as a small business concern under 37 CFR 37 CFR 1.9(e).	es, and no rights to the invention are held at 37 CFR 1.9(c) if that person made the
Each person, concern or organization having any rights in the invention is listed below:	
no such person, concern, or organization exists. each such person, concern or organization is listed below.	
Separate verified statements are required from each named person, concern or organization to their status as small entities. (37 CFR 1.27)	on having rights to the invention averring
I acknowledge the duty to file, in this application or patent, notification of any change in state entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance as a small entity is no longer appropriate. (37 CFR 1.28(b))	us resulting in loss of entitlement to small nce fee due after the date on which status
I hereby declare that all statements made herein of my own knowledge are true and that all state believed to be true; and further that these statements were made with the knowledge that will are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United statements may jeopardize the validity of the application, any patent issuing thereon, or any patient directed.	Iful false statements and the like so made States Code, and that such willful false
NAME OF PERSON SIGNING David S. Allen	
TITLE OF PERSON IF OTHER THAN OWNER Vice President	
ADDRESS OF PERSON SIGNING 27 Hoffman Rd., New Hartford, NY	Iska
SIGNATURE DAVING Sally DATE	11 1/98